

Solutions in new Dimensions

KNOWLEDGE

RELIABILITY

QUALITY


EFFICIENCY

PRODUCTIVITY

SUSTAINABILITY

FLEXIBILITY

leitz



IWF 2018 Promotion

HSK F63 ThermoGrip® Chucks

D mm	d mm	A mm	DB mm	Weight Kg	Shank Tolerance	ID#	Promo Price
27	1/4"	75	63	0.8	h6	737314402	\$199
32	3/8"	75	63	0.9	h6	737314403	\$199
34	1/2"	75	63	0.9	h6	737314404	\$199
34	5/8"	75	63	0.9	g6	737314226	\$199
42	3/4"	75	63	1	g6	737314405	\$199
42	1"	75	63	0.9	g6	737314406	\$199
42	20	75	63	1	g6	37710	\$199
42	25	75	63	0.9	g6	37711	\$199

SK30 ThermoGrip® Chucks

D mm	d mm	A mm	DB mm	Weight Kg	Shank Tolerance	ID#	Promo Price
34	1/2"	70	63	0.7	h6	737314547	\$230

ISO30 for CMS ThermoGrip® Chucks

D mm	d mm	A mm	DB mm	Weight Kg	Shank Tolerance	ID#	Promo Price
34	1/2"	70	50	0.7	h6	737314836	\$230

Optimize performance with Leitz ThermoGrip®

- Left- or right-hand rotation
- Highest rigidity, accuracy and balance quality
- No moving parts in clamping system, reducing wear
- Elimination of lines on workpiece from collet wear
- Maximized tool performance-- longer life, better cuts, higher feed speeds



ISG2200. For shank diameters of up to 3/4" (20mm). The mobile ISG2200 shrink unit represents an affordable transition to inductive shrinking technology. The high-frequency generator and optimized coil geometry provide quick tool changes for solid carbide tools 3-20mm. An integrated fan quickly cools the heated clamping chucks.

Depth	Width	Height	Clamping Range	Power	Weight	ID#	Promo Price
390	310	640	Carbide: 3-20 mm HSS: N/A	3x208V-15A	25 kg (55 lbs)	737314905	\$8,500



ISG3430TLK. For shank diameters of up to 1-1/4" (32mm). This processor-controlled ISG3400 is a universal unit for the professional use of shrinking technology. The unique coil changing system handles carbide tools from 3-32mm and HSS tools from 6-32mm.

Depth	Width	Height	Clamping Range	Power	Weight	ID#	Promo Price
470	787	813	Carbide: 3-32 mm HSS: 6-32mm	3x480V-16A	45 kg (100 lbs)	737317574	\$14,750



Important: All Leitz custom and diamond router bits should be used with heat shrink technology to optimize tool concentricity, performance and service longevity of quality cutting tools. Optional equipment for extended range of diameters, cooling, etc. available. Tool shanks must be within shank tolerance listed to ensure functionality. This requirement is automatically fulfilled when using Leitz tools.

SPECIAL OFFER!

- Buy any ThermoGrip® chuck and router bit combination and get a 5% discount on the chuck
- Buy one induction unit and get a 5% discount on your total order (including tools and chucks)
- 30 day on-site trial for the induction unit



DiaMaster PRO Router Cutters 1+1, 2+2, 3+3

DiaMaster (PCD) PRO router bits offer extended performance and efficient sizing and nesting cuts in panel products and abrasive materials. Ideal in combination with ThermoGrip® chucks.

Description	Dimensions (inch)	ID #	Promo Price
DiaMaster PRO Z1+1	1/2"xCL 7/8"xOAL 2-3/4", SH=1/2"	91296	\$150
DiaMaster PRO Z1+1	1/2"xCL 1-3/8"xOAL 3-1/8", SH=1/2"	191065	\$189
DiaMaster PRO Z1+1	3/4"xCL 1-1/4"xOAL 3-3/4", SH=3/4"	191066	\$205
DiaMaster PRO Z1+1	3/4"xCL 1-7/8"xOAL 4-3/8", SH=3/4"	91297	\$225
Diamaster PRO Z2+2	3/8" x CL 13/16" x OAL 2-9/16", SH=3/8"	191062	\$289
Diamaster PRO Z2+2	1/2" x CL 15/16" x OAL 2-3/4", SH=1/2"	191063	\$380
Diamaster PRO Z2+2	1/2" x CL 1-1/8" x OAL 2-15/16", SH=1/2"	191064	\$432
Diamaster Quattro Z2+2	3/4" x CL 1-3/4" x OAL 4", SH=3/4"	191068	\$649
Panel Groover, Z=2	1/2" x CL 1/2" x OAL 3", SH=1/2"	191067	\$148
Diamaster PRO Z3+3	1/2" x CL 15/16" x OAL 2-3/4", SH=1/2"	191057	\$515
Diamaster PRO Z3+3	1/2" x CL 1-1/8" x OAL 2-15/16", SH=1/2"	191058	\$634



DiaMaster PLUS Router Cutters Z2

DiaMaster (PCD) router cutters for sizing and grooving with stepless cut. Suitable for machining the edges of painted or foil coated MDF. Ideal for Trespa and HPL. The short down-shear edge is ideal for grooving and sizing of hard-to-machine materials; supports clamping of smaller parts. Ideal in combination with ThermoGrip® chucks.



D mm	GL mm	NL mm	S mm	Z	DRI	ID#	Promo Price
14	80	16	20x50	2	RL	091157	\$399
16	80	18	20x50	2	RL	091156	\$408

Leitz Locations



USA

Grand Rapids, MI 49512
p. 800-253-6070

San Bernardino, CA 92408
p. 800-548-1535

Archdale, NC 27263
p. 800-860-8848

Garland, TX 75041
p. 800-743-2468

Kent, WA 98031
p. 253-395-1012

Leitz Tooling Systems LP
USA Headquarters
4301 East Paris Avenue, SE
Grand Rapids, MI 49512
Phone: 800-253-6070
Fax: 800-752-9391
contact@leitz.org
www.leitztooling.com

